

DATA PARAGLIDER[DHV test report](#)

Category	Paraglider
Type designation	Gradient Bright Classic 26
Manufacturer	Gradient s.r.o.
Type test reference no	DHV GS-01-1204-04
Type test standard(s) applied	Lufttüchtigkeitsforderungen für HG und GS
Date of certification	2004-03-04
Holder of certification in Germany	Turnpoint Fastline GmbH
Holder of certification in Austria	Turnpoint Fastline GmbH
Limits of operation	
Classification	1 GH
Harness restriction	GH
Total weight in flight	75 Kg - 95 Kg
Number of seats	1
Winch towing	Yes
Inspection interval	24 Mo
Characteristics	
Trimmers	No
Accelerator	Yes
Weight of glider without bag	5.8 Kg

Test report DHV 03 Gradient Bright Classic 26

Type	Gradient Bright Classic 26	
Certificate-No	DHV GS-01-1204-04	
Holder of certificate	Turnpoint Fastline GmbH	
Manufacturer	Gradient s.r.o.	
Classification	1 GH	
Winch tow	Yes	
Number of seats min / Number of seats max	1 / 1	
Accelerator?	Yes	
Trimmers?	No	
	Behaviour at min weight in flight(75 Kg)	Behaviour at max weight in flight(95 Kg)
Take off	1	1
Inflation	evenly, immediately	evenly, immediately
Rising behaviour	immediately comes over pilot	immediately comes over pilot
Take off speed	average	average
Take off handling	easy	easy
Straight flight	1	1
Roll damping	average	average
Turn handling	1	1
Spin tendency	not available	not available
Control travel	high	high
Agility	average	average
Symmetric stall	1	1
Deep-stall limit	late > 75 cm	late > 75 cm
Full stall limit	late > 90 cm	late > 90 cm
Increase in steering power	high	high
Front collapse	1	1
Pre-acceleration	slight	slight
Opening behaviour	spontaneous, quickly	spontaneous, delayed
Asymmetric collapse	1	1
Turn tendency	< 90 degrees	< 90 degrees
Change of course	< 90 degrees	< 90 degrees
Rate of turn	slight	slight
Max. roll/pitch angle	less than 45 degrees	less than 45 degrees
Loss of altitude	slight	slight
Stabilization	spontaneous	spontaneous
Opening behaviour	spontaneous, quickly	spontaneous, quickly
Countersteering an asymmetric collapse	1	1
Stabilization	countersteering easy	countersteering easy
Control travel	high	high
Control pressure increase	high	high
Turn in opposite direction	easy, no tendency to stall	easy, no tendency to stall
Opening behaviour	spontaneous, quickly	spontaneous, quickly
Full stall, symm. exit	1	1
Spin out of straight flight	1	1
Spin out of turn	1	1
Spiral dive	1	1
Entry	easy	easy
Spin tendency	not available	not available
Exit	spontaneous	turn continues through < 180 degrees
Sink rate [m/s]	7	8
B-line stall	1	1
Entry	easy	easy
Exit	spontaneous	spontaneous
Big ears	1	1
Entry	easy	easy
Recovery	spontaneous, quickly	spontaneous, quickly
Landing	1	1
Landing behaviour	easy	easy

Front collapse (accelerated)	1	1
Pre-acceleration	slight	slight
Opening behaviour	spontaneous, quickly	spontaneous, delayed

Asymmetric collapse (accelerated)	1	1
Turn tendency	< 90 degrees	< 90 degrees
Change of course	< 90 degrees	< 90 degrees
Rate of turn	slight	slight
Max. roll/pitch angle	less than 45 degrees	less than 45 degrees
Loss of altitude	slight	slight
Stabilization	spontaneous	spontaneous
Opening behaviour	spontaneous, quickly	spontaneous, quickly

Big ears accelerated	1	1
Entry	easy	easy
Recovery	spontaneous, quickly	spontaneous, quickly

Supplementary remarks

06.04.2004 13:08:52

qi=250013